

# SAFETY DATA SHEET

Issuing Date 24-Feb-2015 Revision Date 23-Feb-2015 Revision Number 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name StazOn

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

**Recommended Use** For consumer use in arts and crafts. Not intended as body paint. Should not be

intentionally ingested or inhaled.

Uses advised against Not intended for marking skin. Should not be intentionally ingested or inhaled.

Details of the supplier of the safety data sheet

Supplier Name Tsukineko Co., Ltd.

**Supplier Address** 5-1-5, Sotokanda Chiyoda-ku

Tokyo, TK 101-0021

JAPAN

Supplier Phone Number

81-3-3834-1080

Supplier Email

www.tsukineko.co.jp

Emergency telephone number Not Available

### 2. HAZARDS IDENTIFICATION

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Flammable liquids	Category 4

#### GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word Danger

**Hazard Statements** 

Causes serious eye damage May cause an allergic skin reaction

Combustible liquid



Appearance Liquid Physical State Liquid Odor No information available

### **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat/sparks/open flames/hot surfaces. - No smoking

### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

1% to 10% of the mixture may consist of ingredient(s) of unknown toxicity

#### **Other information**

May be harmful if swallowed
Toxic to aquatic life with long lasting effects
Harmful to aquatic life
Repeated or prolonged skin contact may cause allergic reactions with susceptible persons
PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

### **Interactions with Other Chemicals**

No information available.

\_\_\_\_\_

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

•

Chemical Name	CAS No	Weight-%	Trade Secret
Supplier Trade Secret	Proprietary	10 - 30	*
Supplier Trade Secret	Proprietary	7 - 13	*
Supplier Trade Secret	Proprietary	5 - 10	*
Supplier Trade Secret	Proprietary	5 - 10	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	1 - 5	*
Supplier Trade Secret	Proprietary	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek

immediate medical attention/advice.

**Skin Contact** Wash off immediately with soap and plenty of water for at least 15 minutes. May

cause an allergic skin reaction. In the case of skin irritation or allergic reactions

see a physician.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as

required. Wear personal protective clothing (see section 8). Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination.

#### Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** Burning sensation. Itching. Rashes. Hives. **Effects** 

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** May cause sensitization of susceptible persons. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

### **Specific Hazards Arising from the Chemical**

Product is or contains a sensitizer. May cause sensitization by skin contact. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.

Uniform Fire Code Sensitizer: Liquid

Combustible Liquid: III-A

#### **Hazardous Combustion Products**

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Evacuate personnel to safe areas. See section 8 for more information. Take precautionary

measures against static discharges. Do not touch or walk through spilled material.

Other Information Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions**Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled

material. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Pick up and transfer to properly labeled containers. Take precautionary measures against

static discharges. Dam up. Soak up with inert absorbent material.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Do not breathe dust/fume/gas/mist/vapors/spray.

#### Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance

with local regulations.

**Incompatible Products** Strong oxidizing agents. Strong acids. Strong bases.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Supplier Trade Secret	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and
			mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist
Supplier Trade Secret	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and
	_		mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist
Supplier Trade Secret	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and
•	_		mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tight sealing safety goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

**Respiratory Protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical StateLiquidOdorNo information availableAppearanceLiquidOdorNo information availableColorNo information availableOdor ThresholdNo information available

**Property** Values Remarks Method рΗ None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point 61 C / 142 F None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air Upper flammability limit No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known **Explosive properties** No data available Oxidizing Properties No data available

### Other Information

Softening Point
VOC Content (%)
Particle Size
Particle Size Distribution
No data available
No data available

\_\_\_\_

### 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

### **Conditions to avoid**

Heat, flames and sparks.

#### Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

### **Hazardous Decomposition Products**

Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye Contact** Specific test data for the substance or mixture is not available. Severely irritating to eyes.

Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

**Skin Contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Supplier Trade Secret	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)	-
Supplier Trade Secret	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Supplier Trade Secret	> 2000 mg/kg (Rat)	-	-
Supplier Trade Secret	= 530 mg/kg ( Rat )	> 2000 mg/kg (Rat)	-

### Information on toxicological effects

Symptoms Erythema (skin redness). May cause blindness. Burning. Itching. Rashes. Hives.

\_\_\_\_\_

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

May cause sensitization by inhalation.

Mutagenic Effects No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive Toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Chronic Toxicity** No known effect based on information supplied. May cause adverse liver effects.

Target Organ Effects Eyes. Skin. Kidney. Liver. Respiratory system. Endocrine system. Thyroid.

**Aspiration Hazard** No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
3,424.00 mg/kg
ATEmix (dermal)
6,153.00 mg/kg (ATE)
ATEmix (inhalation-dust/mist)
12.50 mg/l

\_\_\_\_

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Supplier Trade Secret	72h EC50: > 500 mg/L	96h LC50: 337 - 352 mg/L	EC50 = 32.4 mg/L 5 min	48h EC50: > 500 mg/L
	(Desmodesmus subspicatus)	(Pimephales promelas) 96h	EC50 = 880 mg/L 17 h	_
		LC50: 220 - 460 mg/L	_	
		(Leuciscus idus) 96h LC50:		
		= 366 mg/L (Pimephales		
		promelas)		
Supplier Trade Secret	3h EC50: = 35 mg/L	96h LC50: = 10 mg/L	EC50 = 50 mg/L 5 min	48h EC50: = 23 mg/L
	(Anabaena variabilis)	(Lepomis macrochirus) 96h	EC50 = 63.7 mg/L 15 min	
		LC50: = 460 mg/L	EC50 = 63.7  mg/L  5  min	
		(Pimephales promelas)	EC50 = 71.4 mg/L 30 min	
Supplier Trade Secret		96h LC50: = 3.2 mg/L		
		(Brachydanio rerio)		
Supplier Trade Secret		96h LC50: = 3 mg/L	EC50 = 5 mg/L 6 h	48h EC50: = 2.9 mg/L
		(Oncorhynchus mykiss)	_	_

### Persistence and Degradability

No information available.

### **Bioaccumulation**

Chemical Name	Log Pow
Supplier Trade Secret	1.13
Supplier Trade Secret	1.1
Supplier Trade Secret	2

# Other adverse effects

No information available.

### 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Disposal methods**Dispose of contents/containers in accordance with local regulations.

**Contaminated Packaging** Do not reuse empty containers.

### California Hazardous Waste Codes 135

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Supplier Trade Secret	Toxic
Supplier Trade Secret	Toxic
Supplier Trade Secret	Toxic

### 14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

TDG Not regulated

MEX Not regulated

ICAO Not regulated

<u>IATA</u> Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

### 15. REGULATORY INFORMATION

### International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Supplier Trade Secret -		5 - 10	1.0
Supplier Trade Secret -		5 - 10	1.0
Supplier Trade Secret -		1 - 5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Supplier Trade Secret		X		
Supplier Trade Secret		X		
Supplier Trade Secret		Х		

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Supplier Trade Secret			X	X	X
Supplier Trade Secret		X	X		

### International Regulations

### Canada

**WHMIS Hazard Class** 

B3 - Combustible liquid D2B - Toxic materials





### **16. OTHER INFORMATION**

NFPA Health Hazards 2 Flammability 1 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 2 Flammability 1 Physical Hazard 0 Personal Protection

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**